

# SAFETY DATA SHEET InstantFOAM Complete

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name InstantFOAM Complete

- Product number
   DIS1000ML, DIS250ML, DIS47ML, DIS400ML, IFS250ML, IFS1000ML, IAF400ML, IFS47ML, 2717, IFS1LTFEN, 2719, 2720, 2718, IFC400RFSC, IFC400RFNL, 2720EX, DIF1247, IFS1LTFNL, DIF12400EX, DIF610EX, FI2720, DIF1200, 6770720, 6770730, 6770736, 6770749, DIX400ML, DIX1L, IFS1LTFDE, DIF610, 2719EX, FI2718, IFS1LTFSC
- UFI: 7QS3-302P-G00V-RRUR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses PT1 Human Hygiene Biocidal Product

### 1.3. Details of the supplier of the safety data sheet

Supplier	SC Johnson Professional Ltd
	Denby Hall Way
	Denby
	Derbyshire
	DE5 8JZ
	+44 (0) 1773 855100
	info.prouk@scj.com

### 1.4. Emergency telephone number

Emergency telephone	National Poisons Information Service (UK) 0344 8920111 (Health Professionals only)
	National Poisons Information Centre (Eire) 01-8092566/8379964

SECTION 2: Hazards identification

2.1. Classification of the su Classification (SI 2019 No.	
Physical hazards	Flam. Liq. 2 - H225
Health hazards	Eye Irrit. 2 - H319
Environmental hazards	Not Classified
2.2. Label elements	

Hazard pictograms



Signal word Hazard statements

Danger

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

Precautionary statements	<ul> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P233 Keep container tightly closed.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337+P313 If eye irritation persists: Get medical advice/ attention.</li> <li>P404 Store in a closed container.</li> <li>P501 Dispose of contents/ container in accordance with local regulations.</li> </ul>
Supplemental label information	BPR001 Use biocides safely. Always read the label and product information before use.

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

# SECTION 3: Composition/information on ingredients

3.2. Mixtures		
ETHANOL		80
CAS number: 64-17-5	EC number: 200-578-6	
<b>Classification</b> Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
The full text for all hazard statements is displayed in Section 16.		

### **SECTION 4: First aid measures** 4.1. Description of first aid measures **General information** Get medical attention if any discomfort continues. Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Ingestion Rinse mouth. Promptly get affected person to drink large volumes of water to dilute the swallowed chemical. Never give anything by mouth to an unconscious person. Do not induce vomiting. Get medical attention if any discomfort continues. Skin contact Not relevant. Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing. 4.2. Most important symptoms and effects, both acute and delayed Inhalation No specific symptoms known. Ingestion May cause nausea, headache, dizziness and intoxication. Skin contact None known. Eye contact May cause severe eye irritation. 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor No specific recommendations. SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	Extinguish with the following media: Water spray, fog or mist. Foam, carbon dioxide or dry powder. Dry chemicals, sand, dolomite etc.		
5.2. Special hazards arising fro	om the substance or mixture		
Specific hazards	The product is highly flammable.		
Hazardous combustion products	Oxides of carbon.		
5.3. Advice for firefighters			
Protective actions during firefighting	Fight fire from safe distance or protected location.		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.		
SECTION 6: Accidental release	e measures		
6.1. Personal precautions, pro	tective equipment and emergency procedures		
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.		
6.2. Environmental precaution	<u>S</u>		
Environmental precautions	Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material.		
6.3. Methods and material for	containment and cleaning up		
Methods for cleaning up	Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Use explosion-proof electrical equipment. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.		
6.4. Reference to other section	ns		
Reference to other sections	For personal protection, see Section 8.		
SECTION 7: Handling and sto	rage		
7.1. Precautions for safe hand	ling		
Usage precautions	Keep away from heat, sparks and open flame. Avoid contact with eyes. Good general ventilation should be adequate to control worker exposure to airborne contaminants.		
Advice on general occupational hygiene	Do not smoke in work area.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Store at temperatures not exceeding 40°C. Take precautionary measures against static discharges.		
Storage class	Flammable liquid storage.		
7.3. Specific end use(s)			
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.		
SECTION 8: Exposure control	s/Personal protection		
8.1. Control parameters Occupational exposure limits ETHANOL			

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m<sup>3</sup> WEL = Workplace Exposure Limit.

Ingredient comments

WEL = Workplace Exposure Limits

## ETHANOL (CAS: 64-17-5)

Ingredient comm	nents None.
DNEL	Professional - Inhalation; local effects: 1900 mg/m <sup>3</sup> Professional - Dermal; Long term systemic effects: 343 mg/kg/day Professional - Inhalation; Long term systemic effects: 950 mg/m <sup>3</sup> Consumer - Inhalation; local effects: 950 mg/m <sup>3</sup> Consumer - Dermal; Long term systemic effects: 206 mg/kg/day Consumer - Inhalation; Long term systemic effects: 114 mg/m <sup>3</sup> Consumer - Oral; Long term systemic effects: 87 mg/kg/day
PNEC	<ul> <li>marine water; 0.79 mg/l</li> <li>Fresh water; 0.96 mg/l</li> <li>Intermittent release; 2.75 mg/l</li> <li>STP; 580 mg/l</li> <li>Sediment (Freshwater); 3.46 mg/kg</li> <li>Sediment (Marinewater); 2.9 mg/l</li> <li>Soil; 0.63 mg/kg</li> </ul>
	COCOGLUCOSIDE (CAS: 68515-73-1)
DNEL	Workers - Inhalation; Long term systemic effects: 420 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 595000 mg/kg/day General population - Inhalation; Long term systemic effects: 124 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 357000 mg/kg/day General population - Oral; Long term systemic effects: 35.7 mg/kg/day
PNEC	<ul> <li>Fresh water; 0.176 mg/l</li> <li>marine water; 0.0176 mg/l</li> <li>Intermittent release; 0.27 mg/l</li> <li>STP; 560 mg/l</li> <li>Sediment (Freshwater); 1.516 mg/kg</li> <li>Sediment (Marinewater); 0.152 mg/kg</li> <li>Soil; 0.654 mg/kg</li> </ul>
osure controls	
e equipment	
ate engineering	Not relevant.
protection	Eyewear complying with an approved standard should be worn if a risk assessment indi eye contact is possible. Personal protective equipment that provides appropriate eye an

8.2. Expos

Protective



Appropriate engineering controls	Not relevant.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment that provides appropriate eye and face protection should be worn.
Hand protection	Not applicable.

Other skin and body protection	Not relevant.
Hygiene measures	Do not smoke in work area. Promptly remove any clothing that becomes contaminated.
Respiratory protection	Not relevant.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties Appearance Clear liquid. Colour Colourless. Odour Alcoholic. Odour threshold Not determined. pН pH (concentrated solution): 5.0-8.0 Melting point Not determined. Initial boiling point and range Not determined. ~ 15.3°C A.9 Flash point Not determined. **Evaporation rate** Upper/lower flammability or Not determined. explosive limits Vapour pressure Not determined. Vapour density Not determined. ~ 0.844 @ 20°C Relative density Solubility(ies) Soluble in water. Partition coefficient Not determined. Auto-ignition temperature Not determined. **Decomposition Temperature** Not determined. Viscosity 2.67 mPa s @ 20°C **Explosive properties** Not determined. Does not meet the criteria for classification as oxidising. **Oxidising properties** 9.2. Other information Other information No information required. SECTION 10: Stability and reactivity

1	0.	1.	Reactivity	
_				

Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability

No particular stability concerns.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous Not known. reactions

### 10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a hazardous situation.

### 10.6. Hazardous decomposition products

Hazardous decomposition Oxides of carbon. products

# SECTION 11: Toxicological information

11.1. Information on toxicolog	ical effects		
Acute toxicity - oral			
Notes (oral LD <sub>50</sub> )	Based on available data the classification criteria are not met.		
Acute toxicity - dermal			
Notes (dermal LD <sub>50</sub> )	Based on available data the classification criteria are not met.		
Acute toxicity - inhalation			
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.		
Skin corrosion/irritation			
Animal data	Based on available data the classification criteria are not met.		
Respiratory sensitisation			
Respiratory sensitisation	Based on available data the classification criteria are not met.		
Skin sensitisation			
Skin sensitisation	Based on available data the classification criteria are not met.		
Germ cell mutagenicity			
Genotoxicity - in vivo	Does not contain any substances known to be mutagenic.		
Carcinogenicity			
Carcinogenicity	Based on available data the classification criteria are not met.		
Reproductive toxicity			
Reproductive toxicity -	Does not contain any substances known to be toxic to reproduction.		
development			
Specific target organ toxicity -	single exposure		
STOT - single exposure	No information available.		
Specific target organ toxicity -	repeated exposure		
STOT - repeated exposure	No information available.		
Aspiration hazard			
Aspiration hazard	Based on available data the classification criteria are not met.		
General information	No specific health hazards known.		
Inhalation	No specific health hazards known.		
Ingestion	May cause nausea, headache, dizziness and intoxication.		
Skin contact	Skin irritation should not occur when used as recommended.		

 Eye contact
 Irritating to eyes. Symptoms following overexposure may include the following: Redness.

 Pain.

 Toxicological information on ingredients.

## ETHANOL

Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	10,470.0
Species	Rat
Notes (oral LD <sub>50</sub> )	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	10,470.0
Acute toxicity - dermal	
Acute toxicity dermal (LD₅o mg/kg)	20,000.0
Species	Rabbit
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Acute toxicity inhalation (LC₅₀ vapours mg/l)	117.0
Species	Rat
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
ATE inhalation (vapours mg/l)	117.0
Skin corrosion/irritation	
Animal data	Oedema score: Very slight oedema - barely perceptible (1).
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vivo	Does not contain any substances known to be mutagenic.
Reproductive toxicity	
Reproductive toxicity - development	Does not contain any substances known to be toxic to reproduction.
Specific target organ toxicity - single exposure	
STOT - single exposure	No information available.
Specific target organ toxicit	y - repeated exposure
STOT - repeated exposure	No information available.

Aspiration hazard

As	spiration hazard		Based on available data the classification criteria are not met.
G	eneral informatio	on	No specific health hazards known.
Ini	halation		No specific health hazards known.
In	gestion		May cause nausea, headache, dizziness and intoxication.
SI	kin contact		Skin irritation should not occur when used as recommended.
Ey	ye contact		Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.
SECTION 12: E	Ecological inform	nation	
Ecotoxicity		The proc	luct is not expected to be hazardous to the environment.
Ecological infor	mation on ingre	dients.	
			ETHANOL
<b>E</b> /	cotoxicity		The product is not expected to be hazardous to the environment.
12.1. Toxicity	COLONIONY		
Toxicity		The prod	luct is not expected to be toxic to aquatic organisms.
-	mation on ingre		
	<u> </u>		ETHANOL
Тс	oxicity		The product is not expected to be toxic to aquatic organisms
	cute aquatic toxi	city	The product is not expected to be toxic to aquatic organisms.
	cute toxicity - fis		LC50, 96 hours: 15300 mg/l, Pimephales promelas (Fat-head Minnow) LC₅o, 96 hours: mg/l, Fish
	cute toxicity - aq vertebrates	uatic	EC₅₀, 48 hours: mg/l, Daphnia magna EC₅₀, : 858 24H mg/l, Marinewater invertebrates EC₅₀, > 48 hours: 10000 mg/l, Daphnia magna
	cute toxicity - aq ants	uatic	EC₅₀, 72 hours: 275 mg/l, Freshwater algae IC₅₀, 72 hours: 5000 mg/l, Algae
12.2. Persisten	ce and degrada	bility	
Persistence and	d degradability	The proc	luct is expected to be biodegradable.
Ecological infor	mation on ingre	dients.	
			ETHANOL
	ersistence and egradability		The product is expected to be biodegradable.
12.3. Bioaccum	nulative potentia	<u> </u>	
Bioaccumulativ	e potential	No data	available on bioaccumulation.
Partition coeffic	cient	Not dete	rmined.

Ecological information on ingredients.

### ETHANOL

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient : -0.35

12.4. Mobility in soil

Mobility

The product is soluble in water.

Ecological information on ingredients.

## ETHANOL

Mobility

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB** This product does not contain any substances classified as PBT or vPvB.

assessment

Ecological information on ingredients.

#### ETHANOL

**Results of PBT and vPvB** This product does not contain any substances classified as PBT or vPvB. assessment

12.6. Other adverse effects

Other adverse effects None known.

Ecological information on ingredients.

#### **ETHANOL**

Other adverse effects None known.

SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

General informationWhen handling waste, the safety precautions applying to handling of the product should be<br/>considered.Disposal methodsThis material and its container must be disposed of as hazardous waste. Dispose of waste<br/>product or used containers in accordance with local regulations Reuse or recycle products<br/>wherever possible.

**SECTION 14: Transport information** 

14.1. UN number

UN No. (ADR/RID)	1170
UN No. (IMDG)	1170
UN No. (ICAO)	1170
UN No. (ADN)	1170

14.2. UN proper shipping name

Proper shipping nameETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)(ADR/RID)ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper shipping name (IMDG)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper shipping name (ICAO)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper shipping name (ADN)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

## 14.3. Transport hazard class(es)

3
F1
3
3
3
3

Transport labels



14.4. Packing group	
ADR/RID packing group	П
IMDG packing group	П
ICAO packing group	П
ADN packing group	П

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

## 14.6. Special precautions for user

EmS	F-E, S-D	
ADR transport category	2	
Emergency Action Code	•2YE	
Hazard Identification Number (ADR/RID)	33	
Tunnel restriction code	(D/E)	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
Transport in bulk according to Annex II of MARPOL 73/78	Not applicable.	

and the IBC Code

SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU legislation

REGULATION (EU) No 528/2012 (as amended) concerning the making available on the market and use of biocidal products.

PCS Number

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

98218

SECTION 16: Other information				
General information	Use biocides safely. Always read the label and product information before use.			
Key literature references and sources for data	Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the appropriate relevant information is incorporated into this Safety Data Sheet.			
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision. Revision of information			
Revision date	14/09/2021			
Revision	22			
Supersedes date	07/09/2021			
SDS number	20973			
Hazard statements in full	H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.			
Notes for Hazard Statements in Full	The full text for Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.			

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.