**MATERIAL SAFETY DATA SHEET** 



# SAFETY DATA SHEET According to Regulation (EC) No. 453/2010 Compilation date: 27/04/15 Revision: 2 EXCEDO CATERING TANNIN REMOVER

# **SECTION 1: Identification of the substance/mixture and of the company/** undertaking

#### **1.1 Product Identifier**

Product Form	Mixture	
Product Name	Excedo Catering Tannin Remover	
Product Group	Trade product	
Product Code	K1461002	

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### **1.2.1 Relevant identified uses**

Main use Category	Professional use		
Function or use Category	Washing and cleaning products (including solvent based products). A professional tannin removal powder used in the catering industry which rapidly removes tea and coffee stains from porcelain and china mugs, cups, teapots/ urns, coffee pots etc. Free from Chlorine.		

#### **1.2.2 Uses advised against**

No additional information available



1.3 Details of the supplier of the sofety data sheet			
1.3 Details of the supplier of the safety data sheet			
Company	Global Consortium Ltd		
Address	Oakhurst Business Park, Southwater, West Sussex, RH13 9RT		
1.4 Emergency telephone number			
Emergency Telephone	03300 55 22 88		
SECTION 2: Hazard	s identification		
2.1 Classification of the	e substance mixture		
2.1.1 Classification acc	ording to Regulation (EC) No. 1272/2008 [CLP]		
Eye Dam	H318		
Skin Irrit.	H315		
2.1.2 Classification according to Directive 67/548/EEC or 1999/45/EC			
Xi	R36		
2.2 Label elements - La	belling according to Regulation (EC) No. 1272/2008 [CLP]		
Hazard pictograms			
Signal word	Danger		
Hazard Statements	H318: Causes serious eye damage. H315: Causes skin irritation.		
	P102 - Keep out of reach of children		
	P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.		
Precautionary	P302 + P352 – IF ON SKIN: Wash with plenty of soap and water. P332 + P313 – If skin irritation occurs: Get medical advice/attention.		
Statements	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing		
	P337+P313 - If eye irritation persists: Get medical advice/attention.		
	The full texts for all R-, H- and EUH-phrases are displayed in Section 16 'Other Information'.		



#### **2.3 Other Hazards**

Other hazards not contributing to the classification: No presence of PBT and vPvB ingredients.

SECTION 3: Composition/Information on Ingredients				
Other Hazards	CAS No./ EC No.	Classification According to Directive 67/548/EEC	Other Hazards	
Sodium carbonate peroxide	15630-89-4 239-707-6	Xn; R22. Xi; R36, R38. O; R8	15 - 30%	
Sodium silicate pentahydrate	6834-92-0 229-912-9	C; R34, Xi; R37	15 - 30%	
Sodium carbonate	497-19-8 207-838-8	Xi; R36.	15 - 30%	
Sodium c10-c12 benzene sulphonate	25155-30-0/ 68081-81-2 246-680-4	Xn; R22. Xi; R37/38, R41.	1 – 5%	
Alcohol ethoxylate c14-15 pareth-7eo	68951-67-7 Polymer	Xn; R22, Xi; R41. N; R50.	1 – 5%	
Other Hazards	CAS No./ EC No.	Classification According to (EC) 1272/2008 (CLP)	Other Hazards	
Sodium carbonate peroxide	15630-89-4 239-707-6	Ox Sol. 3, H272 Acute Tox. 4, H302 Eye Dam. 1, H318	15 - 30%	
Sodium silicate pentahydrate	6834-92-0 229-912-9	Skin Corr. 1B: H314 STOT SE3, H335	15 - 30%	
Sodium carbonate	497-19-8 207-838-8	Eye Irrit. 2, H319	15 - 30%	
Sodium c10-c12 benzene sulphonate	25155-30-0/ 68081-81-2 246-680-4	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335	1 – 5%	



# **SECTION 4: First aid measures**

4.1 Description of first aid measures			
First-aid measures after inhalation			
First-aid measures after skin contact	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention, and discontinue use of product.		
First-aid measures after eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, immediately call a doctor.		
First-aid measures after ingestion	IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Drink plenty of water. Seek medical advice if you feel unwell.		

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	Coughing. sneezing.	
Symptoms/injuries after skin contact	Redness. Swelling. dryness. Itching.	
Symptoms/injuries after eye contact	Severe pain. Redness. Swelling. Blurred vision	
Symptoms/injuries after ingestion	Oral mucosal or gastro-intestinal irritation. Nausea. Vomiting. Excessive secretion. Diarrhoea.	

#### 4.3 Indication of any immediate medical attention and special treatment needed

Refer to section 4.1.

SECTION 5: Firefighting measures		
<b>Extinguishing media</b> Product itself is not explosive or flammable. The product itself wi anything, packaging may be involved in a fire. Use CO2, dry che alcohol resistant foam or other media appropriate for materials a in the fire. If water is used, contain run-off.		
<b>Special hazards:</b> When heated sufficiently, product may decompose to form smoke and toxic fumes.		
Special protective equipment	Fire fighters should wear approved self-contained breathing apparatus and full protective clothing.	
SECTION 6: Accidental release measures		

<b>Personal precautions</b> Avoid contact with skin and eyes. For appropriate personal protection section 8.	
Environmental precautions	Although this product is suitable for down the drain disposal it is advised that as much of the solid is contained and scooped up, before final dispersal of any residue with water.



	Prevent leakage into sewers or surface water by utilising bunding, absorbent booms, drain covers and soil or sand dikes. Contact	
Methods and material for containment and	appropriate environmental protection agencies, (Environment Agency in the UK and local water authorities if significant	
clean-up	contamination occurs.	
	For small and large spills: scoop spillage into suitable plastic containers and	
	rework/dispose as per local legislation.	
SECTION 7: Handli	rework/dispose as per local legislation.	
<b>SECTION 7: Handli</b> Precautions for safe handling	rework/dispose as per local legislation.	

# **SECTION 8: Exposure controls/personal protection**

#### **8.1. Control parameters**

	DNEL/PNEC Values DNEL/DMEL (Workers)
Sodium Carbonate (CAS 497-19-8)	Long-term - local effects, inhalation 10 mg/m <sup>3</sup> DNEL/DMEL (General population)
	Acute - local effects, inhalation 10 mg/m <sup>3</sup>

#### SODIUM PERCARBONATE (CAS 15630-89-4) DNEL/PNEC Values

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	5 mg/m3	Workers	Local
DNEL	Dermal	12.8 mg/cm2	Workers	Local
DNEL	Dermal	6.4 mg/cm2	Consumers	Local
PNEC	Environmental: Water	35 g/l	-	-
PNEC	Environmental: STP	16 mg/l	-	-

#### **8.2 Exposure controls**

#### **8.2.1 Appropriate engineering controls**

Not applicable.

#### **8.2.2. Personal protective equipment**

Hand protection:	d protection: Wear gloves during direct contact and hand-washing.	
Eye protection:	Vear eye/face protection.	
Skin and body protection:	Not applicable.	



#### 8.2.3. Environmental exposure controls:

No particular measures required

SECTION 9: Physical and chemical properties	
Appearance	White powder
Odour:	Non detectable
pH: (10% aqueous solution)	ca. 11
Melting point	Not determined
Boiling point	Not determined
Flash point	Not combustible
Evaporation	Not determined
Flammability	Not combustible
Explosive properties	Non-Explosive
<b>Oxidising properties</b>	Not determined
Vapour pressure/ density	Not determined
Relative density	Not determined
Water solubility	Soluble
Partition coefficient	Not determined
Auto ignition temperature	Not combustible
Decomposition temperature	Not determined
Viscosity	Not determined



SECTION	10:	Stability	and	reactivity	
---------	-----	-----------	-----	------------	--

Stability	Stable under normal conditions.
Conditions to avoid	None
Materials to avoid	Do not mix with other cleaning products unless advised to do so by a professional from the industry.

# **SECTION 11: Toxicological information**

11.1 Information on toxicological effects	
Acute Oral Toxicity	May cause burns in mucous membranes, throat, oesophagus and stomach.
Acute Inhalation Toxicity	Dusts may irritate throat and respiratory system and cause coughing.
Acute Dermal Toxicity	Irritating/ damaging to skin
Skin Corrosion/ Irritation	May cause chemical burns of the skin. Prolonged contact may cause tissue damage.
Serious eye damage/ eye irritation	Causes burns. Risk of corneal damage. Visual disturbances including blurred vision.
Sensitisation	Not expected to provoke a sensitisation reaction.
Repeated Dose Toxicity	Not data available.
Assessment of STOT single exposure	No data available
Assessment of STOT repeated exposure	No data available
Risk of Aspiration Toxicity	No data available
Sodium Carbonate (CAS	6 497-19-8)
LD50 oral rat	2800 mg/kg
LD50 dermal rabbit	2001 mg/kg
ATE CLP (oral)	2800 mg/kg bodyweight
ATE CLP (dermal)	2001 mg/kg bodyweight



# **SECTION 12: Ecological information**

On the basis of raw materials and comparable substances contained in the product the following ecological evaluation is obtained.

Ecotoxicity	This product is intended for wide dispersive use, is not considered harmful to aquatic organisms and is compatible with the down-the-drain disposal route. No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Persistence and degradability	This product has not been found to cause long-term adverse effects in the environment. The surfactants used in this product are biodegradable in line with the requirements of EU Detergent Regulation (EC) No 648/2004.
	Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Bioaccumulative potential	The surfactant ingredients of this product are not expected to bioaccumulate.
Mobility in soil	Not determined.

# **SECTION 13: Disposal considerations**

Consumer products ending up down the drain after use. Observe safe handling precautions and local legislation. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation EC/648/2004 on detergents.

SECTION 14: Transport Information	
UN No	None
Classification	Not classified as hazardous for transport.
UN proper shipping name	None
Transport hazard class	Not subject to ADR/IATA/IMDG/RID codes.
Packing group	None
Environmental hazards	None
Special precautions for user	None

# **SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** 

### **15.1.1 EU-Regulations**



No REACH Annex XVII restrictions. Contains no substance on the REACH candidate list

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC)

No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the MemberStates and will be made available to them, at their direct request or at the request of a detergent manufacturer.

## **15.1.2 National Regulations**

No additional information available

#### **15.2 Chemical safety assessment**

No chemical safety assessment has been carried out

# **SECTION 16: Other Information**

Usage and handling instructions are not mentioned on this Material Safety Data Sheet. The labelling of the product is indicated in Section 2.2.

The full text of the R-, H- and EUH-phrases indicated in this safety data sheet are as follows:

R8	Contact with combustible material may cause fire.
R22	Harmful if swallowed.
R34	Causes burns.
R36	Irritating to eyes.
R37	Irritating to respiratory system.
R36/37	Irritating to eyes and respiratory system.
R37/38	Irritating to respiratory system and skin.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.
R50	Very toxic to aquatic organisms.
Aquatic Acute 1	Acute aquatic toxicity, Category 1
Acute Tox. 4 (Oral):	Acute toxicity (oral), Category 4
Eye Dam. 1:	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2:	Serious eye damage/eye irritation, Category 2



Ox. Sol. 3:	Oxidising Solids, Category 3
Skin Irrit. 2:	Skin corrosion/irritation, Category 2
Skin Corr. 1:	Skin corrosion, Category 1B
STOT SE 3:	Specific target organ toxicity- single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life

The information given has been compiled with reference to the Chemicals (Hazard Information & Packaging For Supply)Regulations (CHIP4) 2009 as amended, the Registration, Evaluation, Authorisation & Restriction of

Chemicals (REACH) Regulations, as amended, the Control of Substances Hazardous to Health Regulations (COSHH) 2002, as amended, and Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. This information also harmonises the provisions and criteria for the classification and labelling of substances,

mixtures and certain specific articles within the Community, taking into account the classification criteria and labelling rules of the GHS.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

